

★ Perfect Hot Water
for Perfect Care of
★ your Loved Ones ★



— **BATH MODES** —



BABY CARE



HAIR CARE



HYGIENE MODE





Over the years, Crompton has spread its wings across markets and consumer products like fans, light sources, luminaries, pumps and households appliances such as geysers, mixer grinders, toasters, irons, etc.

Its state of the art manufacturing units are located in Goa, Vadodara, Ahmednagar and Baddi. With 1,50,000 plus retail points, Crompton aims to establish a positive connect across India through its superior product range.

Experts at its R & D center innovate continuously to enhance convenience by delivering functional product range with stringent quality processes and certification of BEE and ISI.

We have a service network of 365+ touch points to give seamless service throughout the country.





HOW TO CHOOSE YOUR WATER HEATER

Key things you should know when selecting your water heaters

What should be the capacity of the water heater?

The capacity of the water heater depends on the kind of usage:

Instant Water Heater	Instant Water Heater	Storage Water Heater	Storage Water Heater
			
Bathing – bucket	Washing utensils	Bathing – Shower	Bathing – bucket
 Pleasant weather	 Cold weather	 Pleasant weather	 Cold weather
3 Members	6 Members	4 Members	3 Members
1-3L	1-3L	6L	10-15L
Suggested Capacity	Suggested Capacity	Suggested Capacity	Suggested Capacity



Storage Water Heater



Bathing – bucket



Cold weather

6 Members

15L

Suggested Capacity

Storage Water Heater



Bathing – bucket



Pleasant weather

6 Members

6-10L

Suggested Capacity

Storage Water Heater



Bathing – Shower



Cold weather

6 Members

25L

Suggested Capacity



WHY CHOOSE CROMPTON WATER HEATER?

Crompton Care series is recommended by safe health - A global health organisation, which practices & promotes healthy, natural, clean, high quality products.

✦ **Perfect Hot Water
for Perfect Care**



BABY CARE



HAIR CARE



HYGIENE CARE



**1ST TIME IN INDUSTRY CERTIFIED BY
PANEL OF EXPERT DOCTORS.**



STORAGE WATER HEATER

POWERFUL HEATING ELEMENT


Comes with a 1200 gm superior heating element that provides faster heating to give you perfect hot water in 10 mins.

SUPERIOR GLASSLINE TANK COATING

Excellent corrosion resistance ensured by superior glassline coating that ensures durability and longevity of the tank.

SMART SHIELD CORROSION PROTECTION

Crompton's water heaters come with a specially designed sacrificial magnesium anode rod that is designed to protect the inner tank from corrosive elements thus enhancing life of the product.



SUITABLE FOR HIGH-RISE BUILDINGS

High pressure rating and the use of multi-function valve in our models makes our water heaters withstand up to 10 bar pressure, and makes them suitable for high-rise buildings.



5 - STAR RATED ENERGY EFFICIENT

Crompton's 5 Star rated energy efficient water heaters help in reducing your electricity bill substantially.



SMART ENERGY MANAGEMENT

Smart design with Standby cut off that consumes less electricity.



ADVANCED 3 - LEVEL SAFETY

Crompton Water Heaters have advanced 3-level safety that keeps all parameters in check for protection against electric shocks and auto-off function in case of malfunction.



TRIPLE SHIELD PROTECTION

The glass line coated tank, Magnesium Anode, and blue glass lined incoloy element protects the water heater from corrosion oxidation and scaling, thereby giving a longer life.

STORAGE WATER HEATERS



SOLARIUM QUBE IOT

Available in 15L, 25L



Remotely controlled
by Mobile App



Smart
scheduler



Digital temperature
Display



Smart Energy
Management



Bathing modes
For ease of use



Powerful heating
Element



Pre-set timer



Smart shield
Corrosion protection



Auto standby
mode



Smart color-changing
LED indicator



Superior
safety system



Nano polybond
Technology



Energy saving
In-Situ PUF



Rust &
Shockproof body

WARRANTY

7yrs
Tank

2yrs
Element


2yrs
Product



Scan the QR code to download MyCROMPTON app
Works on Android as well as IOS



SMART HOME INTEGRATION



SOLARIUM CARE

Available in 6L, 10L, 15L, 25L



Customised
Bath Modes



Powerful heating
element



Superior glassline
coating



Advanced 3
level safety



Energy saving
Insitu PUF



Smart shield
corrosion protection

WARRANTY

7yrs
Tank

3yrs
Element

2yrs
Product



recommended by
PANEL OF EXPERT DOCTORS

CUSTOMISED BATHING MODES



BABY CARE

Unique temperature setting that prevents accidental hot water scalds or burns in babies and is ideal for their skin.



HAIR CARE

Unique temperature setting that is best for massaging the scalp with shampoo to get the excess dirt and oil off your hair and thus ensuring a relaxing bath for your hair.



HYGIENE CARE

Unique temperature setting that kills bacteria and viruses inside the water and delivers germ free water for your loved ones.

SOLARIUM NEO

Available in 6L, 10L, 15L, 25L



Superior glassline coating



Powerful incoloy heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

7yrs
Tank

3yrs
Element

2yrs
Product



Triple Shield Technology



Rust proof plastic body



10 Bar pressure



Smart Energy management

SOLARIUM EVO

Available in 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

7yrs
Tank

2yrs
Element

2yrs
Product



Rust proof plastic body



8 Bar pressure



Smart Energy management

SOLARIUM QUBE

Available in 10L, 15L, 25L



Nano poly bond technology



Powerful heating element



Color-Changing LED Indicator



Advanced 3 level safety



Energy saving Insitu PUF



Smart shield corrosion protection

WARRANTY

7yrs
Tank

2yrs
Element

2yrs
Product



Rust proof plastic body



8 Bar pressure



Smart Energy management

RAPIDJET PLUS

Available in 6L - 2kW & 3kW



Nano poly bond technology



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



Rust proof plastic body



8 Bar pressure



Smart Energy management

VERSA

Available in 6L, 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

7yrs
Tank

2yrs
Element

2yrs
Product



Rust proof plastic body



8 Bar pressure



Smart Energy management

REGERA

Available in 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

7yrs
Tank

2yrs
Element

2yrs
Product



Powder coated rust proof body



8 Bar pressure



Smart Energy management

AMICA

Available in 10L, 15L, 25L



Nano poly bond technology



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

7yrs
Tank

2yrs
Element

2yrs
Product



Powder coated rust proof body



8 Bar pressure



Smart Energy management

HYDRA JET

Available in 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF



Temperature control knob

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



Rust proof plastic body



8 Bar pressure



Smart Energy management

ARNO SUPREMUS

Available in 10L, 15L, 25L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF




Temperature control knob

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



Powder coated rust proof body



8 Bar pressure



Smart Energy management

CLASSIC

Available in 6L, 10L, 15L, 25L



Nano poly bond technology



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Energy saving Insitu PUF




LED indicator for ease of use

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



Powder coated rust proof body



8 Bar pressure

RADIANT DLX

Available in 35L, 50L



Superior glassline coating



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Hi-Precision thermal stem cut-out



Temperature Control Knob

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



Rust proof plastic body



8 Bar pressure



Smart Energy management

ARNO NEO

Available in 35L, 50L



Nano poly bond technology



Powerful heating element



Smart shield corrosion protection



Advanced 3 level safety



Temperature dial indicator



Temperature Control Knob

WARRANTY

7yrs
Tank

2yrs
Element

2yrs
Product



Powder coated rust proof body



8 Bar pressure



Smart Energy management

CLASSIC HORIZONTAL

Available in 10L, 15L



Nano poly bond technology



Smart Shield Corrosion Protection



8 Bar Pressure



Smart energy management



Energy Saving Insitu PUF



LED Indicator For Ease Of Use

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



Sleek and compact design



Powder coated rust-proof metal body



Advanced 3 level safety

VERSA HORIZONTAL

Available in 10L, 15L, 25L



Superior glassline coating



Smart Shield Corrosion Protection



8 Bar Pressure



Smart energy management



Energy Saving Insitu PUF



Temperature Control Knob

WARRANTY

7yrs
Tank

3yrs
Element

2yrs
Product



Sleek and compact design



Rust proof plastic body



Advanced 3 Level Safety



INSTANT WATER HEATERS



SOLARIUM VOGUE

Available in 3L- 3KW



High grade SS tank for long life



Powerful heating element



Color Changing LED Indicator



Advanced 4 level safety



Rust & Shock Proof ABS body



Anti Siphon Protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



ISI marked for added safety



6.5 Bar Pressure



Elegant & stylish design

RAPIDJET PLUS

Available in 3L- 3KW



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust & shock proof body



Anti Siphon Protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



ISI marked for added safety



6.5 Bar Pressure



Elegant & stylish design



HYDRA JET

Available in 3L- 3KW



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti Siphon Protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



ISI marked for added safety



6.5 Bar Pressure



Elegant & stylish design

INSTA JET

Available in 3L- 3KW



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti Siphon Protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



ISI marked for added safety



6.5 Bar Pressure



Elegant & stylish design

SOLARIUM NEO

Available in 3L-3KW



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti Siphon Protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



ISI marked for added safety



6.5 Bar Pressure



Elegant & stylish design

RAPID JET

Available in 1L-3KW & 4.5KW , 3L- 3KW & 4.5 KW



High grade SS tank for long life



Powerful heating element



LED indicator for ease of use



Advanced 4 level safety



Rust and shock proof body



Anti Siphon Protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product



ISI marked for added safety



6.5 Bar Pressure



Elegant & stylish design

RAPID JET 5L

Available in 5L



High grade SS tank
for long life



Powerful heating
element



LED indicator for
ease of use



Advanced
4 level safety



Rust and shock
proof body



Anti Siphon
Protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product

**Perfect Hot Water
within 2mins***



6.5 Bar
Pressure



Elegant &
stylish design

*tested under standard lab conditions

SOLARIUM NEO 5L

Available in 5L



High grade SS
tank for long life



Powerful heating
element



LED indicator for
ease of use



Advanced 4 level
safety



Rust and shock
proof body



Anti Siphon
Protection

WARRANTY

5yrs
Tank

2yrs
Element

2yrs
Product

**Perfect Hot Water
within 2mins***



6.5 Bar
Pressure



Elegant &
stylish design

*tested under standard lab conditions



TANKLESS WATER HEATERS



RAPIDJET PRO

Available in 5.5kW



Rust Proof
Plastic Body



Powerful heating
element



Triple Power
Mode



Splash
Proof



Overheat & Dry
Heat Protection



Temperature
Control Knob

WARRANTY

2yrs
Product

Perfect Hot Water
for all seasons



6.5 Bar
Pressure



Compact &
sleek design

RAPIDJET ROYALE

Available in 5.5kW



Customised
Bath Modes



Dual Heating
Element



Smart Digital
Display



Built in
ELCB



Overheat & Dry
Heat Protection



Stepless Electric
Control

WARRANTY

2yrs
Product

Perfect Hot Water
for all seasons



6.5 Bar
Pressure



Compact &
sleek design

Crompton



GAS GEYSERS



AGWH 5000

Available in 4.6L



Over Heat Protection



20 Minutes Gas Flow
Cut-Off Timer



Summer & winter
burner selection



Automated Double
ignition system



ISI Approved



Child Lock Safety



Flame Out
Protection



PRV High water
Pressure protection



Flue duct to avoiding smoke scaling,
blockage and dry heating



Pure copper
heat exchanger

WARRANTY

2yrs

Product



Extra Protection with
Double Solenoid Valve

85%

85% heating
efficiency



IMMERSION ROD



IHL 201 & 251

Available in 1000W , 1500W



Shock proof plastic handle with IP68 protection



Heating element with longer life



Light-Weight



Powerful pure copper heating element



Water Level Indicator



ISI approved

WARRANTY

2yrs
Product



IHL 201



IHL 251



IHL (102/104/152/154)

Available in 1000 W & 1500 W



Shock proof Bakelite handle



Neon Lamp Indicator



Light-Weight



Heating Element with Longer Life



Water Level Indicator



powerful pure copper heating element

WARRANTY

2yrs
Product



ISI approved



IHL 102/104



IHL 152/154



IHL 402/ 452

Available in 1000 W & 1500 W



Shock proof
Bakelite handle



Neon Lamp
Indicator



Light-Weight



Heating Element
with Longer Life



Water Level
Indicator



powerful pure copper
heating element



ISI approved

WARRANTY

2yrs

Product



IHL 402/452



WATER HEATER PRODUCT SPECIFICATION

Series		Storage										
Product		Classic	Arno Supremus	Hydra Jet	Amica	Versa	Regera	Rapid Jet Plus	Solarium Qube	Solarium Evo	Solarium Neo	Solarium Qube IoT
Advance Features												
Pressure Rating	Safety Valve	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	10 Bar	8 BAR
TANK	MS_Glassline Coating		✓	✓		✓	✓			✓	✓	
	MS_Polymer Coating	✓			✓			✓	✓			✓
	SS											
Heating Element	Incoloy + GL Coating										✓	
	Copper + Ni Coating	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓
Thermostat (Auto)	Advance Microproceser											✓
	High precision Capillary		✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Stem Mechanical	✓										
Temp Control Mode	Temp Adjustable Knob		✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Touch Sensor											✓
Thermal Cut_off	High precision Capillary	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Stem Mechanical											
	Mechanical - Disc											
Anode Rod	MgO	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Mounting	Position on Wall	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical
	BEE /ISI	4 Star	5 Star	5 Star	5 Star	5 Star	5 Star	5 Star	5 Star	5 Star	5 Star	5 Star
Specifications												
Power (W)		2000 W	2000 W	2000 W	2000 W	2000 W	2000 W	2000W/3000W	2000 W	2000 W	2000 W	2000 W
Capacity (Liters)		6L, 10L, 15L, 25L	10L, 15L, 25L	10L, 15L, 25L	10L, 15L, 25L	6L, 10L, 15L, 25L	10L, 15L, 25L	6L	10L, 15L, 25L	10L, 15L, 25L	6L, 10L, 15L, 25L	15L , 25L
Reheating Time (max)		12 Min - 6L , 18 Min - 10L , 28 Min - 15L , 45 Min - 25L , 85 Min - 35L , 105 Min - 50L										
Aesthetics												
Color		White	Ivory	White	White	White	White	White	White	Ivory	Ivory	White
Body		Plastic + Sheet Metal	Plastic + Sheet Metal	Plastic	Plastic + Sheet Metal	Plastic	Plastic + Sheet Metal	Plastic	Plastic	Plastic	Plastic	Plastic
Warranty												
Tank		5	5	5	7	7	7	5	7	7	7	7
Heating Element		2	2	2	2	2	2	2	2	2	3	2
Product		2	2	2	2	2	2	2	2	2	2	2
Dimensions (in mm)		275 x 290 x 330 - 06L 315 x 330 x 362 - 10L 315x 330 x 462 - 15L 360x 375 x 542 - 25L	340 x 365 x 380 - 10L 340 x 365 x 490 - 15L 360 x 375 x 545 - 25L	325 x 345 x 420 -10L 365 x 385 x 455 - 15L 365 x 385 x 565 - 25L	300 x 325 x 445 - 10L 360 x 360 x 490 - 15L 350 x 370 x 595 - 25L	280 x 300 x 355 -06L 335 x 360 x 380 -10L 335 x 360 x 495 - 15L 380 x 405 x 545 - 25L	320 x 340 x 425 - 10L 365 x 385 x 445 - 15L 365 x 385 x 600 - 25L	335 X 275 X 310 - 06L 2KW 335 X 275 X 310 - 06L 3KW	355 x 340 x 355 - 10L 400 x 390 x 420 - 15L 465 x 390 x 495 - 25L	390 X 280 X 415 - 10L 390 X 350 X 415 - 15L 460 X 390 X 490 - 25L	270 x 290 x 370 - 06L 310 X 290 X 460 - 10L 310 x 290 x 490 - 15L 370 x 380 x 610 - 25L	400 x 390 x 405 - 15L 465 x 390 x 495 - 15L
Net Weight (in Kgs)		5.2 Kg - 06L 6.2 Kg - 10L 7.8 Kg - 15L 9.5 Kg - 25L	7.6 Kg - 10L 9.5 Kg - 15L 11.7 Kg - 25L	7.19 Kg - 10L 8.75 Kg - 15L 10.80 Kg - 25L	6.65 Kg - 10L 8.25 Kg - 15L 10 Kg - 25L	5.5 Kg - 06L 6.65 Kg - 10L 8.25 Kg - 15L 10 Kg - 25L	7.7 Kg - 10L 9.2 Kg - 15L 11.3 Kg - 25L	5.5 Kgs-06L 2KW 5.67 Kgs - 06L 3KW	6.87 - 10L 8 Kg - 15L 10 Kg - 25L	8.05 Kg- 10L 8.95 Kg - 15L 11.7 Kg - 25L	5.79 Kgs - 6L 7.38 Kgs - 10L 9.28 Kgs - 15L 13.10 Kgs - 25L	8 Kgs - 15L 10 Kgs - 25L

*Above Specs are reference purpose only (subject to change as per manufacturer)

WATER HEATER PRODUCT SPECIFICATION

Series		Storage		Instant						Tankless		Horizontal	
Product		Radiant DLX	Arno Neo	RapidJet	Solarium Neo	Insta Jet	Hydra Jet	RapidJet Plus	Solarium Vogue	RapidJet Pro	RapidJet Royale	Classic HZ	Versa HZ
Advance Features													
Pressure Rating	Safety Valve	8 BAR	8 BAR	6.5 BAR	6.5 BAR	6.5 BAR	6 BAR	6.5 BAR	6.5 BAR	6 BAR	6 BAR	8 BAR	8 BAR
TANK	MS_Glassline Coating												✓
	MS_Polymer Coating	✓	✓									✓	
	SS			✓	✓	✓	✓	✓	✓				
Heating Element	Incoloy + GL Coating												
	Copper + Ni Coating	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Thermostat (Auto)	Advance Microproceser										✓		
	High precision Capillary	✓	✓										✓
	Stem Mechanical			✓	✓	✓	✓	✓	✓	✓		✓	
Temp Control Mode	Temp Adjustable Knob	✓	✓							✓	✓		✓
	Touch Sensor												
Thermal Cut_off	High precision Capillary	✓	✓										
	Stem Mechanical			✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Mechanical - Disc												✓
Anode Rod	MgO	✓	✓									✓	✓
Mounting	Position on Wall	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Horizontal	Vertical	Horizontal	Horizontal
	BEE /ISI	5 Star	3 Star	ISI	ISI	ISI	ISI	ISI	ISI			3 Star	3 Star
Specifications													
Power [W]		2000 W	2000 W	3000 W/ 4500 W	3000 W	3000 W	3000 W	3000 W	3000 W	5500 W	5500 W	2000 W	2000 W
Capacity [Liters]		35L , 50L	35L, 50L	1L, 3L, 5L	3L, 5L	3L	3L	3L	3L	-	-	10L, 15L	10L, 15L, 25L
Reheating Time [max]		12 Min - 6L , 18 Min - 10L , 28 Min - 15L , 45 Min - 25L , 85 Min - 35L , 105 Min - 50L											
Aesthetics													
Color		Grey	Grey	White	White	White	White	White	White	White	Black	White	White
Body		Plastic	Plastic + Sheet Metal	Plastic	Plastic	Plastic	Plastic	Plastic	Plastic	-	-	Plastic + Sheet Metal	Plastic
Warranty													
Tank		5	7	5	5	5	5	5	5	-	-	5	7
Heating Element		2	2	2	2	2	2	2	2	-	-	2	3
Product		2	2	2	2	2	2	2	2	2	2	2	2
Dimensions (in mm)		460 x 470 x 600 - 35L 460 x 470 x 760 - 50L	400 x 418 x 595 - 35L 400 x 418x 782 - 50L	205 x 212 x 405 - 5L 205 x 190 x 365 - 3L 170 x 165 x 320 - 1L	210 x 210 x 430 - 5L 190 x 190 x 385 - 3L	190 x 185 x 360 -3L	190 x 185 x 375	205 x 190 x 365 -3L	190 x 190 x 385	282 x 122 x 134	660 x 260 x 125	300 x 312 x 424 - 10L 315 x 325 x 485 - 15L	320 x 325 x 490 - 10L 320 x 325 x 600 - 15L 320 x 325 x 880 - 25L
Net Weight (in Kgs)		14.4 Kg - 35L 16.8 Kg - 50L	11.6 Kgs - 35L 14.33 Kgs - 50L	3.06 Kg - 5L 2.5 Kg - 3L 2.0 Kg - 1L	2.8 Kg - 5L 2.7 Kg - 3L	2.5 Kg- 3L	2.4 Kg- 3L	2.55 Kg- 3L	2.8 Kgs - 3L	1.16 kg	1.94Kg	7.18 Kg - 10L 8.16 Kg - 15L 12.3kg - 25L	8.4 Kgs - 10L 10.0 Kgs - 15L 13.8 Kgs - 25L

*Above Specs are reference purpose only (subject to change as per manufacturer)

Crompton

CUSTOMER SERVICE

In Crompton, through our commitment to service, we aim to exceed expectations and get rewarded with a smile. Our after-sales service team is dedicated to deliver excellent services and meet unique customer needs.



Crompton service executive will schedule a service appointment within 24 hours of your calling to our toll-free number **1800-419-0505**.



Once the service appointment is fixed, our qualified and trained Crompton service technician will visit & your product problem will be resolved within 24 to 48 Hours.



All india whatsapp helpline number **7428713830** with 24 hours open **chat bot** access.



Scan QR for registration of warranty, installation, and services on our website in seconds.

Easy & Interactive | Instant Complaint Registration | Seamless Experience

CROMPTON GREAVES CONSUMER ELECTRICALS LIMITED

Registered Office:

Equinox Business Park, 1st Floor, Tower 3, LBS Marg, Kurla (W), Mumbai-400 070, India

Disclaimer – While every effort has been taken to ensure that all specifications and description are correct, this brochure should not be regarded as infallible guide not as an offer of sales for a particular product. Due to variables in production process, colours of actual products may vary slightly from those depicted. Model numbers and specifications are for reference only, may subject to change without prior notice. Free installation on select models of water heater and select locations only.