



# Flood lighting



## ROVER

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy >110/120 LPW, 10KV SPD version to be ordered separately.

| CAT. REF.                    | CASE LOT | MRP (₹) |
|------------------------------|----------|---------|
| TFS-504-50-57-NL-SL-GL-NBK   | 6        | 5600    |
| CFS-504-50-57-60D-SL-GL-NSG  | 6        | 5800    |
| CFS-504-50-30-60D-SL-GL-NSG  | 6        | 6200    |
| TFS-504-60-57-60D-SL-GL-NSG  | 6        | 8400    |
| TFS-504-60-30-60D-SL-GL-NSG  | 6        | 8600    |
| TFS-504-60-57-60D-HL2-GL-NSG | 6        | 9400    |



## ROVER PLUS

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy >110/120 LPW, 10KV SPD to be ordered separately.

| CAT. REF.                     | CASE LOT | MRP (₹) |
|-------------------------------|----------|---------|
| TFS-504-70-57-60D-SL-GL-NSG   | 6        | 8800    |
| TFS-504-70-30-60D-SL-GL-NSG   | 6        | 9000    |
| TFS-504-70-57-60D-HL2-GL-NSG  | 6        | 11500   |
| TFS-504-80-57-60D-SL-GL-NSG   | 6        | 10000   |
| TFS-504-80-30-60D-SL-GL-NSG   | 6        | 10500   |
| TFS-504-80-57-60D-HL2-GL-NSG  | 6        | 12000   |
| TFS-504-100-57-60D-SL-GL-NSG  | 6        | 10500   |
| TFS-504-100-57-NL-SL-GL-NBK   | 6        | 10250   |
| TFS-504-120-57-60D-HL2-GL-NBK | 6        | 14500   |
| TFS-504-150-57-60D-HL2-GL-NBK | 6        | 15500   |
| CFS-504-100-30-60D-SL-GL-NSG  | 6        | 10800   |
| TFS-504-100-57-60D-HL2-GL-NSG | 6        | 12500   |
| CFS-504-100-57-60D-HL2-GL-NSG | 6        | 13500   |
| CFS-504-120-57-60D-SL-GL-NSG  | 6        | 15000   |
| CFS-504-120-57-60D-HL2-GL-NSG | 6        | 16000   |





## PROFILE NEO

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy 110/120LPW, 10KV SPD included.

| CAT. REF.         | CASE LOT | MRP (€) |
|-------------------|----------|---------|
| LFL-70-CDL/60-M   | 6        | 10500   |
| LFL-70-WW/60-M    | 6        | 11500   |
| LFL-70-CDL/60-HPM | 6        | 12000   |
| LFL-80-CDL/60-M   | 6        | 11000   |
| LFL-80-WW/60-M    | 6        | 12000   |
| LFL-80-CDL/60-HPM | 6        | 13000   |



## SPECTACLE

LED floodlight made up of pressure die cast aluminium housing with integrated IP lens and SMD LEDs with IP66 protection. System efficacy >120LPW, 10KV SPD included

| CAT. REF.                     | CASE LOT | MRP (€)    |
|-------------------------------|----------|------------|
| TFS-510-150-57-60D-HL2-LM-NGG | 2        | 15300      |
| TFS-510-150-30-60D-HL2-LM-NGG | 2        | On-request |
| TFS-511-200-57-60D-HL2-LM-NGG | 2        | 19500      |
| TFS-511-200-30-60D-HL2-LM-NGG | 2        | On-request |



## SPECTACLE PRO

LED floodlight made up of pressure die cast aluminium housing with integrated IP lens and SMD LEDs with IP66 protection. System efficacy >120LPW, 10KV SPD included

| CAT. REF.                     | CASE LOT | MRP (€) |
|-------------------------------|----------|---------|
| CFS-510-150-57-60D-HL2-LM-NSG | 2        | 17000   |
| CFS-511-200-57-60D-HL2-LM-NSG | 2        | 22000   |



## PLUTO NEO AURA

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy ≥ 110/LPW 10KV SPD included.

| CAT. REF.                    | CASE LOT | MRP (€) |
|------------------------------|----------|---------|
| TFS-507-150-57-60D-SL-GL-NSG | 2        | 18000   |
| TFS-507-150-57-NL-SL-GL-NSG  | 2        | 16500   |
| TFS-507-200-57-60D-SL-GL-NSG | 2        | 22000   |
| TFS-507-200-57-NL-SL-GL-NSG  | 2        | 21 000  |



## PLUTO NEO

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. System efficacy ≥ 110/120LPW, 10KV SPD included.

| CAT. REF.           | CASE LOT | MRP (€) |
|---------------------|----------|---------|
| LFLN-135-CDL/60-M   | 2        | 16500   |
| LFLN-135-WW/60-M    | 2        | 17000   |
| LFLN-150-CDL/60-M   | 2        | 17500   |
| LFLN-150-WW/60-M    | 2        | 18500   |
| LFLN-150-CDL/60-HPM | 2        | 18500   |
| LFLN-180-CDL/60-M   | 2        | 18500   |
| LFLN-180-WW/60-M    | 2        | 19500   |
| LFLN-200-CDL/60-M   | 2        | 24000   |
| LFLN-200-WW/60-M    | 2        | 25000   |
| LFLN-200-CDL/60-HPM | 2        | 25500   |



## PLUTO PRO PLUS

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. Available in MBWB angles. 10KV SPD included. System Efficacy ≥ 110/120/135

| CAT. REF.                     | CASE LOT | MRP (€) |
|-------------------------------|----------|---------|
| CFS-501-300-57-30D-HL2-GL-NGG | 1        | 36500   |
| CFS-501-300-57-30D-HL3-GL-NBK | 1        | 48500   |
| CFS-501-300-57-30D-SL-GL-NGG  | 1        | 33500   |
| CFS-501-300-30-30D-SL-GL-NGG  | 1        | 34500   |
| CFS-501-300-57-60D-HL2-GL-NGG | 1        | 36000   |
| CFS-501-300-57-60D-HL3-GL-NBK | 1        | 48000   |
| CFS-501-300-57-60D-SL-GL-NGG  | 1        | 33000   |
| CFS-501-300-30-60D-SL-GL-NGG  | 1        | 34000   |
| CFS-501-350-57-30D-HL2-GL-NGG | 1        | 43000   |
| CFS-501-350-57-30D-HL3-GL-NBK | 1        | 55000   |
| CFS-501-350-57-30D-SL-GL-NGG  | 1        | 40500   |
| CFS-501-350-30-30D-SL-GL-NGG  | 1        | 42500   |
| CFS-501-350-57-60D-HL2-GL-NGG | 1        | 42500   |
| CFS-501-350-57-60D-HL3-GL-NBK | 1        | 54500   |
| CFS-501-350-57-60D-SL-GL-NGG  | 1        | 40000   |
| CFS-501-350-30-60D-SL-GL-NGG  | 1        | 42000   |



## CHALLENGER PRO

Unique modular LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. Available in NB/MB/WB angles. 10KV SPD included, System Efficacy  $\geq 110/120/135$  LPW

| CAT. REF.                     | CASE LOT | MRP (₹)    |
|-------------------------------|----------|------------|
| CFS-506-250-57-60D-SL-GL-NSG  | 1        | 30000      |
| CFS-506-250-57-60D-HL2-GL-NSG | 1        | 32500      |
| CFS-506-250-57-30D-HL2-GL-NSG | 1        | 33000      |
| CFS-506-250-57-60D-HL3-GL-NBR | 1        | 40500      |
| CFS-506-250-57-30D-HL3-GL-NBR | 1        | 41000      |
| CFS-506-250-57-10D-HL2-GL-NBR | 1        | 44000      |
| CFS-506-250-57-10D-HL3-GL-NBR | 1        | 46000      |
| CFS-506-300-57-60D-SL-GL-NSG  | 1        | 33000      |
| CFS-506-300-57-30D-SL-GL-NSG  | 1        | On-request |
| CFS-506-300-57-60D-HL2-GL-NSG | 1        | On-request |
| CFS-506-300-57-30D-HL2-GL-NSG | 1        | On-request |



## CHALLENGER PRO

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. Available in MB/WB angles. 10KV SPD included, System Efficacy  $\geq 110/120/135$

| CAT. REF.                     | CASE LOT | MRP (₹) |
|-------------------------------|----------|---------|
| CFS-512-350-57-60D-SL-GL-NSG  | 1        | 40000   |
| CFS-512-350-57-30D-SL-GL-NSG  | 1        | 40500   |
| CFS-512-350-30-60D-SL-GL-NSG  | 1        | 42000   |
| CFS-512-350-30D-SL-GL-NSG     | 1        | 42500   |
| CFS-512-350-57-60D-HL2-GL-NSG | 1        | 42500   |
| CFS-512-350-57-30D-HL2-GL-NSG | 1        | 43000   |
| CFS-512-350-57-60D-HL3-GL-NGG | 1        | 55000   |
| CFS-512-350-57-30D-HL3-GL-NGG | 1        | 56000   |
| CFS-512-400-57-60D-SL-GL-NSG  | 1        | 45000   |
| CFS-512-400-57-30D-SL-GL-NSG  | 1        | 45500   |
| CFS-512-400-30-60D-SL-GL-NSG  | 1        | 49500   |
| CFS-512-400-30D-SL-GL-NSG     | 1        | 50000   |
| CFS-512-400-57-60D-HL2-GL-NSG | 1        | 49500   |
| CFS-512-400-57-30D-HL2-GL-NSG | 1        | 50000   |
| CFS-512-400-57-60D-HL3-GL-NGG | 1        | 62000   |
| CFS-512-400-57-30D-HL3-GL-NGG | 1        | 62000   |



## PLUTO PRO PLUS

LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. Available in MB/WB angles. 10KV SPD included, System Efficacy  $\geq 110/120/135$

| CAT. REF.                     | CASE LOT | MRP (₹) |
|-------------------------------|----------|---------|
| CFS-513-500-57-60D-SL-GL-NSG  | 1        | 60000   |
| CFS-513-500-57-30D-SL-GL-NSG  | 1        | 60500   |
| CFS-513-500-57-60D-HL2-GL-NSG | 1        | 65000   |
| CFS-513-500-57-30D-HL2-GL-NSG | 1        | 65500   |
| CFS-513-500-30-60D-SL-GL-NSG  | 1        | 66000   |
| CFS-513-500-30D-SL-GL-NSG     | 1        | 66500   |
| CFS-513-500-57-60D-HL3-GL-NGG | 1        | 72000   |
| CFS-513-500-57-30D-HL3-GL-NGG | 1        | 72500   |
| CFS-513-500-57-10D-HL3-GL-NGG | 1        | 79500   |



## CHALLENGER PRO PLUS

Unique modular LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. Available in NB/MB/WB angles. 10KV SPD included, System Efficacy  $\geq 110/120/135$  LPW

| CAT. REF.                     | CASE LOT | MRP (₹) |
|-------------------------------|----------|---------|
| CFS-508-500-57-60D-SL-GL-NSG  | 1        | 60000   |
| CFS-508-500-57-10D-HL2-GL-NBR | 1        | 77500   |
| CFS-508-500-57-60D-HL2-GL-NSG | 1        | 65000   |
| CFS-508-500-57-30D-HL2-GL-NSG | 1        | 66500   |
| CFS-508-500-57-10D-HL3-GL-NBR | 1        | 79500   |
| CFS-508-500-57-30D-HL3-GL-NBR | 1        | 72500   |
| CFS-508-500-57-60D-HL3-GL-NGG | 1        | 72000   |



## MAGPIE NEO

Unique modular LED floodlight made up of pressure die cast aluminium housing with toughened glass and high power LEDs and secondary lenses with IP66 protection. 10KV SPD included, System Efficacy  $\geq 125/140$  LPW

| CAT. REF.                     | CASE LOT | MRP (₹) |
|-------------------------------|----------|---------|
| CFS-502-960-57-10D-HL2-GL-NSR | 1        | 165000  |
| CFS-502-960-57-10D-HL4-GL-NSR | 1        | 175000  |
| CFS-502-960-57-30D-HL2-GL-NSR | 1        | 155000  |
| CFS-502-960-57-30D-HL4-GL-NSR | 1        | 164000  |
| CFS-502-960-57-60D-HL2-GL-NSR | 1        | 154000  |
| CFS-502-960-57-60D-HL4-GL-NSR | 1        | 165000  |

