



Indoor lighting



RF LIGHTING

Intelligent, intuitive, and energy efficient lighting solution for office space that does more than just light up the workspace - it acts as a backbone for smart office/building. Our products, complete with human machine interface, can help any office adapt to its occupancy while bringing efficiency in every operation. Its robust IoT architecture provides for flexible & reliable control, energy management, space utilization inputs & easy integration with BMS - that too Wirelessly.

VOGUE RF

CAT. REF.	CASE LOT	MRP (₹)
CCP-121-28-WW-SL-RF-DP-WWH	1	on request
CCP-121-28-TL-SL-RF-DP-WWH	1	on request
CCP-121-28-CDL-SL-RF-DP-WWH	1	on request


POLARIS RF

CAT. REF.	CASE LOT	MRP (₹)
CCR-143-36-WW-SL-RF-DP-WWH	1	on request
CCR-143-36-TL-SL-RF-DP-WWH	1	on request
CCR-143-36-CDL-SL-RF-DP-WWH	1	on request

STYLO RF

CAT. REF.	CASE LOT	MRP (₹)
CDR-218-12-WW-RF-DP-WWH	1	on request
CDR-218-12-TL-RF-DP-WWH	1	on request
CDR-218-12-CDL-RF-DP-WWH	1	on request
CDR-218-15-WW-RF-DP-WWH	1	on request
CDR-218-15-TL-RF-DP-WWH	1	on request
CDR-218-15-CDL-RF-DP-WWH	1	on request
CDR-218-18-WW-RF-DP-WWH	1	on request
CDR-218-18-TL-RF-DP-WWH	1	on request
CDR-218-18-CDL-RF-DP-WWH	1	on request





HCL LIGHTING

Human Centric Lighting (or HCL) is key to maintaining high productivity levels in enclosed offices, especially when they operate 24x7. Our HCL products provide for wirelessly connected & controlled office lighting which is easy to operate & control. This unique lighting solution mimics natural sunlight, is dimmable & helps improve work efficiency.

VOGUE HCL

CAT. REF.	CASE LOT	MRP (₹)
CCP-133-40-HCL-SL-BT-DWH	1	on request

STELLUX-I HCL

CAT. REF.	CASE LOT	MRP (₹)
CCR-130-30-HCL-SL-BT-DWH	1	on request

STELLUX-P HCL

CAT. REF.	CASE LOT	MRP (₹)
CCR-131-30-HCL-SL-BT-DWH	1	on request

STYLO-O HCL

CAT. REF.	CASE LOT	MRP (₹)
CCR-130-30-HCL-SL-BT-DWH	1	on request





LINEAR

Crompton Linear Lights have the flexibility and freedom to design the lighting of your workplace any way you deem fit. Turn your office into a modern vibrant space that is tuned to your aesthetic senses. Put together patterns to your liking with lengths of lights that you need. Linear lights are also available in high efficiency (upto 140lm/W), UGR 8 up-down versions.

VOGUE

CAT. REF.	CASE LOT	MRP (₹)
CCP-121-18-WW/TL/CDL-SL-NWH	4	8850
CCP-121-24-WW/TL/CDL-SL-NWH	4	9440
CCP-121-28-WW/TL/CDL-SL-NWH	4	10030

TRENDZ


CAT. REF.	CASE LOT	MRP (₹)
CCP-143-24-WW/TL/CDL-SL-NWH	8	7700
CCP-143-28-WW/TL/CDL-SL-NWH	8	7700
CCP-143-36-WW/TL/CDL-SL-NWH	8	7700

VOGUE CONNECTOR

CAT. REF.	CASE LOT	MRP (₹)
CONNECTOR - L	1	On Request
CONNECTOR - T	1	On Request
CONNECTOR - X	1	On Request
CONNECTOR - Y	1	On Request

TREND

CAT. REF.	CASE LOT	MRP (₹)
LCLR66-30-WW/TL/CDL	6	8850
LCLR66-36-WW/TL/CDL	6	8850
LCLR90-36-WW/TL/CDL	6	10030





TILES

SIGNATURE SERIES

Stellux series signature tiles bring together superior performance with unique style features. It is LG7 compliant luminaire with UGR<19.5 high performance LED driver. Suitable for cabin, board rooms & VIP areas.

STELLUX-S

CAT. REF.	CASE LOT	MRP (₹)
LCTRS-36-WW	1	8260
LCTRS-36-TL	1	8260
LCTRS-36-CDL	1	8260

STELLUX-P

CAT. REF.	CASE LOT	MRP (₹)
LCTRP-36-WW	1	7200
LCTRP-36-TL	1	7200
LCTRP-36-CDL	1	7200

STELLUX-H

CAT. REF.	CASE LOT	MRP (₹)
LCTRH-36-WW	1	12510
LCTRH-36-TL	1	12510
LCTRH-36-CDL	1	12510

STELLUX-I

CAT. REF.	CASE LOT	MRP (₹)
LCTRI-36-WW	1	7080
LCTRI-36-TL	1	7080
LCTRI-36-CDL	1	7080



VECTOR SERIES

Vector series tiles allow you to create beautiful pattern on your ceiling. Seamless integration with ceiling, easy maintenance, high system efficacy makes it a hassle free choice for office spaces. Select from any of our 7 unique design alongwith 3 CCT options to convert your ceiling into a beautiful piece of art. Product image with illustration of 4 is shown for reference.

VECTOR I

Multi angular design - Geometrically aligned - can be arrange symmetrically or abstract

CAT. REF.	CASE LOT	MRP (₹)
LCTLRF1-36-WW	2	7080
LCTLRF1-36-TL	2	7080
LCTLRF1-36-CDL	2	7080

VECTOR II

Merged octagon design - Geometrically aligned - can be arrange symmetrically or abstract

CAT. REF.	CASE LOT	MRP (₹)
LCTLRF2-36-WW	2	7080
LCTLRF2-36-TL	2	7080
LCTLRF2-36-CDL	2	7080

VECTOR III

Tri angular design - Geometrically aligned - can be arrange symmetrically or abstract

CAT. REF.	CASE LOT	MRP (₹)
LCTLRF3-36-WW	2	7080
LCTLRF3-36-TL	2	7080
LCTLRF3-36-CDL	2	7080

VECTOR IV

Abstract design - Geometrically aligned - can be arrange symmetrically or abstract

CAT. REF.	CASE LOT	MRP (₹)
LCTLRF4-36-WW	2	7080
LCTLRF4-36-TL	2	7080
LCTLRF4-36-CDL	2	7080

Crompton




VECTOR I (ILLUSTRATION OF 4)



VECTOR II (ILLUSTRATION OF 4)



VECTOR III (ILLUSTRATION OF 4)



VECTOR IV (ILLUSTRATION OF 4)

VECTOR V

Abstract design - Geometrically aligned - can be arrange symmetrically or abstract

CAT. REF.	CASE LOT	MRP (₹)
LCTLRFS-36-WW	2	7080
LCTLRFS-36-TL	2	7080
LCTLRFS-36-CDL	2	7080

VECTOR VI


Rhombus design - Geometrically aligned - can be arrange symmetrically or abstract

CAT. REF.	CASE LOT	MRP (₹)
LCTLRFS-36-WW	2	7080
LCTLRFS-36-TL	2	7080
LCTLRFS-36-CDL	2	7080


VECTOR VII

Square design - Geometrically aligned - can be arrange symmetrically or abstract

CAT. REF.	CASE LOT	MRP (₹)
LCTLRF7-36-WW	2	7080
LCTLRF7-36-TL	2	7080
LCTLRF7-36-CDL	2	7080



VECTOR V (ILLUSTRATION OF 4)



VECTOR VI (ILLUSTRATION OF 4)



VECTOR VII (ILLUSTRATION OF 4)



POLLUX

Pollux is a exquisitely designed luminaire which is bound to deliver extra-ordinary lumens through its pure form and glare-less light. Recessed full open 2x2 (>120 lm/W).

CAT. REF.	CASE LOT	MRP (₹)
LCTLRP-24-FO-CDL	2	7080
LCTLRP-30-FO-CDL	2	7670
LCTLRP-36-FO-CDL	2	8260



POLARIS NIO I-II

LED Recessed full fit luminaire with glare free uniform illumination with longer life and less maintenance. Available in 2x2 Ft (>100 lm/W). Also available in warm white and natural white

CAT. REF.	CASE LOT	MRP (₹)
LCTLRNE-18-CDL(1X1)	4	2750
LCTLRNE-24-CDL(1X1)	4	3900
LCTLRNE-24-FO-CDL	2	5310
LCTLRNE-30-FO-CDL	2	5670
LCTLRNE-36-FO-CDL	2	5900
LCTLRNE-42-FO-CDL	2	6500
CCR-126-50-57-SL-NWH	2	7080



POLARIS NIO - III

Surface mounted full fit luminaire with uniform illumination. Long life & less maintenance, 18W & 24W are available in both 1ft x1ft & 2ftx2ft size. Also available in warm white and natural white


CAT. REF.	CASE LOT	MRP (₹)
LCTLSNE-18-FO-CDL (1x1)	4	3540
LCTLSNE-24-FO-CDL (1x1)	4	4130
LCTLSNE-24-FO-CDL	2	5900
LCTLSNE-30-FO-CDL	2	6490
LCTLSNE-36-FO-CDL	2	7080
LCTLSNE-40-FO-CDL	2	7550



POLARIS (T)

Ultra-low depth & light weight full fit luminaire with uniform illumination. Available in 36W with L bracket/spring clamps option

CAT. REF.	CASE LOT	MRP (₹)
TCR-145-36-65-SL-NWH	6	5300
TCR-145-36-57-SL-NWH	6	5300



KINETIC

Crompton KINETIC comes with integrated motion sensor. This luminaire is suitable for 600x600 mm ceiling & recommended for modern offices, auditorium, assembly hall & other commercial interiors where sensor based On/Off function is required. Lights are turned ON as soon as motion is detected and turned off after a 'Configurable Time'

CAT. REF.	CASE LOT	MRP (₹)
LCTLRNM-36-FO-CDL	1	on request



SPAN

Span is recessed and surface LED 1x4 Ft Panel ceiling light with high performance, commercial grade solution suitable for hospitals, schools, offices and so much more. (>100 lm/W). Also available in warm white and natural white.

CAT. REF.	CASE LOT	MRP (₹)
LCTLRNE-40-CDL(1X4)	2	7080
LCTLSNE-40-CDL(1X4)	2	7670



TECHZONE

Designed with simplicity and attention to detail in mind. This luminaire is perfect for 150 mm recess techzone ceiling. Also available in warm white and natural white.

CAT. REF.	CASE LOT	MRP (₹)
LCRTTZN-40-CDL	2	9680





DOWNLIGHTS

ORBIT

Orbit LED cylinders employ the same quality lighting and design configuration to ensure consistent colour point between luminaires within a lighting application. Available in Black and White colour option in 3000K, 4000K and 5700K CCT. Beam angle 36 degree.

CAT. REF.	CASE LOT	MRP (₹)
CDS-201-15-57-HL2-NWH	1	5310
CDS-201-20-57-HL2-NWH	1	5550
CDS-200-25-57-SL-NWH	1	8030
CDS-200-30-57-SL-NWH	1	8500



FAME SPOT

New series of LED Spot Light specially designed for commercial usage Long life with 30000 burning hours with CRI >80. Wide range of choices available from 3w upto 50w. available in 3000K and 4000K. Beam angle 36 degree, Vertical Tilt 30 degree.

CAT. REF.	CASE LOT	MRP (₹)
CDR-210-03-30/40-SL-NWH	20	890
CDR-211-06-30/40-SL-NWH	20	1180
CDR-211-09-30/40-SL-NWH	12	1710
CDR-212-12-30/40-SL-NWH	12	1830
CDR-212-15-30/40-SL-NWH	12	2720
CDR-213-18-30/40-SL-NWH	12	2840
CDR-213-24-30/40-SL-NWH	12	3430
CDR-213-24-30/40-SL-NWH	12	3430
CDR-214-30-30/40-SL-NWH	12	4490
CDR-215-40-30/40-SL-NWH	8	6020
CDR-215-50-30/40-SL-NWH	8	6260



DLYT

First of its kind in industry, this unique design downlight is high on benefits. It brings together performance & economy. Light in weight, this IP40 downlight has high efficiency driver & long life LED while also delivering 100 Lm/watt.

CAT. REF.	CASE LOT	MRP (₹)
CDR-219-12-57-SL-NWH	20	1400
CDR-219-15-57-SL-NWH	20	1500
CDR-219-18-57-SL-NWH	20	1600



STYLO-R

Stylo-R offers industry standard round - in - round design in white PDC aluminium housing with high performance Led & driver. Also available in warm white and natural white

CAT. REF.	CASE LOT	MRP (₹)
LCDRQ-09-CDL	12	1420
LCDRQ-12-CDL	12	1770
LCDRQ-15-CDL	12	1890
LCDRQ-18-CDL	12	2000



STYLO-O

Stylo-O is made of PDC aluminium body with PC diffuser which provides round in square theme. Stylo-O bring forth innovative design, circle in square shape which it creates illusion of ceiling merging with luminaire, as the contrast of two primary shapes create a strong form. Efficacy: 100 lm/W. Also available in warm white and natural white

CAT. REF.	CASE LOT	MRP (₹)
LCDRQ-09-CDL	12	1360
LCDRQ-12-CDL	12	1660
LCDRQ-15-CDL	12	1770
LCDRQ-18-CDL	12	2310



QUARTZ+ S

Slim design LED recessed square polycarbonate housing down lighter with superior light output and integral driver. Efficacy 100lm/w. Also available in warm white and natural white

CAT. REF.	CASE LOT	MRP (₹)
LSDEP-06-CDL	40	620
LSDEP-09-CDL	40	650
LSDEP-12-CDL	20	1010
LSDEP-15-CDL	20	1070
LSDEP-18-CDL	20	1520



Note - Surface Ring for Quartz+ S: SFS-6/12/15/18 to be ordered Separately.

STYLO-Q

Stylo-Q is made of PDC aluminium body with PC diffuser which provides square in circle theme. Stylo-Q bring forth innovative design, circle in square shape which it creates illusion of ceiling merging with luminaire, as the contrast of two primary shapes create a strong form. Efficacy: 100 lm/W. Also available in warm white and natural white

CAT. REF.	CASE LOT	MRP (₹)
LCDRQ-09-CDL	12	1420
LCDRQ-12-CDL	12	1770
LCDRQ-15-CDL	12	1890
LCDRQ-18-CDL	12	2000



STYLO-S

Stylo-S comprises of Plastic moulded housing finished in white & frosted designer diffuser. The downlighter is pre-wired with high efficiency electronic driver. Its unique design helps to get glare a free, smooth light distribution.

CAT. REF.	CASE LOT	MRP (₹)
LCDRS-09-CDL	12	1360
LCDRS-12-CDL	12	1660
LCDRS-15-CDL	12	1770
LCDRS-18-CDL	12	2310



PROXIMA-R

Proxima-R is a high performance low-height back lit downlighter suited for any modern professional workspace. Robust PDC aluminium housing ensures long life. Available in 3000K, 4000K and 5700K CCT. Efficacy: 100 lm/W.

CAT. REF.	CASE LOT	MRP (₹)
CDR-204-06-57-SL-NWH	20	1420
CDR-205-12-57-SL-NWH	20	1890
CDR-205-15-57-SL-NWH	20	2130
CDR-206-18-57-SL-NWH	20	3070
CDR-216-30-57-SL-NWH	20	3780
CDR-216-40-57-SL-NWH	20	4720



PROXIMA-S

Proxima-S is a high performance low-height back lit downlighter suited for any modern professional workspace. Robust PDC aluminium housing ensures long life. Efficacy: 100 lm/W. Also available in warm white and natural white.

CAT. REF.	CASE LOT	MRP (₹)
CDR-207-06-57-SL-NWH	20	1420
CDR-208-12-57-SL-NWH	20	1890
CDR-208-15-57-SL-NWH	20	2130
CDR-209-18-57-SL-NWH	20	3070



PEARL ULTIMA

Round and Square recess mounted LED edge lit slim downlight with die-cast aluminium housing finished in premium white powder coating. Efficacy:100 lm/W & 120 lm/W. Also available in warm white and natural white

CAT. REF.	CASE LOT	MRP (₹)
LSCRM-6W-CDL	40	1010
LSCRM-12W-CDL	30	1300
LSCRM-15W-CDL	20	1660
LSCRM-18W-CDL	20	1890
LSCRM-24WCDL	20	2250
LSCSM-6W-CDL	40	1010
LSCSM-12W-CDL	30	1300
LSCSM-15W-CDL	20	1660
LSCSM-18W-CDL	20	1890
LSCSM-24W-CDL	20	2250



PEARL NIOS

Round and Square surface mounted LED panel. PDC aluminium housing and high translucent frosted plastic diffuser makes it a robust Luminaire. Efficacy: 100 lm/W & 120 lm/W. Also available in warm white and natural white

CAT. REF.	CASE LOT	MRP (₹)
LCDSPLN-R-06-CDL	20	1180
LCDSPLN-R-12-CDL	20	1720
LCDSPLN-R-15-CDL	20	1890
LCDSPLN-R-18-CDL	20	2360
LCDSPLN-R-24-CDL	20	2700
LCDSPLN-S-06-CDL	20	1180
LCDSPLN-S-12-CDL	20	1720
LCDSPLN-S-15-CDL	20	1890
LCDSPLN-S-18-CDL	20	2360
LCDSPLN-S-24-CDL	20	2700



QUARTZ+ R

Slim design LED recessed round polycarbonate housing down lighter with superior light output and integral driver. Efficacy 100lm/w. Also available in warm white and natural white

CAT. REF.	CASE LOT	MRP (₹)
LCDEP-06-CDL	40	620
LCDEP-09-CDL	40	650
LCDEP-12-CDL	20	1010
LCDEP-15-CDL	20	1070
LCDEP-18-CDL	20	1520



Note - Surface Ring for Quartz+ R: SFR-6/12/15/18 to be ordered Separately.



DECORATIVE SUSPENDED

LUNAR

A timeless classic, the LUNAR is the top of its class when it comes to large disk feature lighting. With a range of 3 sizes, ideal for modern living spaces where design and interest are upper most. Also available in warm white and natural white

CAT. REF.	CASE LOT	MRP (₹)
LCSUR3-25-CDL	2	9210
LCSUR4-36-CDL	2	10390
LCSUR6-40-CDL	2	14160



EPSILON

The hexagonal Epsilon is meticulously welded to resemble uniform light that softens up the overall light source and exemplifies illumination on a grand scale.

CAT. REF.	CASE LOT	MRP (₹)
CCP-128-36-30-SL-NWH	1	11800
CCP-128-36-40-SL-NWH	1	11800
CCP-128-36-57-SL-NWH	1	11800



CAPELLA

The triangular Capella is meticulously welded to resemble uniform light that softens up the overall light source and exemplifies illumination on a grand scale.

CAT. REF.	CASE LOT	MRP (₹)
CCP-129-36-30-SL-NWH	1	16520
CCP-129-36-40-SL-NWH	1	16520
CCP-129-36-57-SL-NWH	1	16520





BATTEN

BRIGHT LINEA

High-quality materials and design. Extruded aluminium housing enhances safety. High quality PC Diffuser. Reliable and robust housing structure, maximize the endurance over the life time slim Integrated design, easy to install Efficacy: 125 lm/W. Also available in warm white and natural white

CAT. REF.	CASE LOT	MRP (₹)
CCS-100-20-65-HL2-DP-NWH	20	1010
CCS-100-40-65-HL2-DP-NWH	20	-



TRIMLINE NEU

Trimline Neu is a robust and high performance batten. This LED luminaire comprises of extruded channel in thermally conductive material. High translucent serrated milky white diffuser is used to get glare free and smooth light distribution. Efficacy: 100 lm/W. Also available in warm white and natural white

CAT. REF.	CASE LOT	MRP (₹)
CCS-103-05-65-SL-DP-NWH	20	490
CCS-103-10-65-SL-DP-NWH	20	650
CCS-103-20-65-SL-DP-NWH	20	950
CCS-100-40-65-SL-DP-NWH	20	1420
CCS-103-24-65-SL-DP-NWH	20	1200



TRIM LINEA NEU

Trim Linea Neu is a PC batten. Compact appearance, simple and versatile in nature makes it as long lasting, efficient solution for offices and other commercial spaces. Efficacy: 100 lm/W. Also available in warm white and natural white

CAT. REF.	CASE LOT	MRP (₹)
TCS-104-20-65-SL-DP-NWH	20	740
TCS-104-10-65-SL-DP-NWH	20	610

